

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	("not transferable" or "non-transferable" or "non-migratable") with (storag\$3 or repositor\$3 or memory or cache or database) with (tree or hierarch\$4 or directory or root or structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 12:53
S2	21	("not transferable" or "non-transferable" or "non-migratable") with (storag\$3 or repositor\$3 or memory or cache or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:04
S3	283731	(storag\$3 or repositor\$3 or memory or cache or database) with (tree or hierarch\$4 or directory or root or structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 12:53
S4	8	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 12:53
S5	0	S4 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:30
S6	5	S2.and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:44
S7	5	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable") with (storag\$3 or repositor\$3 or memory or cache or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:30
S8	8517	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "not removable" or "non-removable") with (storag\$3 or repositor\$3 or memory or cache or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:58

## EAST Search History

S9	2318	S8 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:31
S10	6159	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "not removable" or "non-removable") with (storag\$3 or reposit\$3 or memory or cache or database) with (tree or hierarch\$3 or root or structur\$3 or director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:42
S11	0	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "not removable" or "non-removable") with (storag\$3 or reposit\$3 or memory or cache or database) with (tree or hierarch\$3 or root or structur\$3 or director\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:35
S12	65	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "not removable" or "non-removable") with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:35
S13	5047	(storag\$3 or reposit\$3 or memory or cache or database) with (tree or hierarch\$3 or root or structur\$3 or director\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:55
S14	55	S10 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:36
S15	0	S14 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:36

## EAST Search History

S16	114	S10 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:55
S17	1	S16 and (public with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:37
S18	1	S16 and (privat\$3 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:29
S19	0	S16 and (key with blob)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:38
S20	5	S16 and (key with load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:38
S21	0	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "not loadable") with (storag\$3 or repositor\$3 or memory or cache or database) with (tree or hierarch\$3 or root or structur\$3 or director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:54
S22	0	S10 and (load\$3 with key with public) and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:44
S23	68	(load\$3 with key with public with privat\$3) and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:44

## EAST Search History

S24	14	S23 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 13:45
S25	0	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "not loadable") and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:55
S26	351	S13 and (RSA with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:57
S27	23	S13 and ("2048" with RSA with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:44
S28	3	S27 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:44
S29	0	"6192130".pn. and (tree or hierarch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:45
S30	1	"6192130".pn. and (tree or hierarch\$3 or root or structur\$3 or director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:45
S31	7277	(storag\$3 or repositor\$3 or memory or cache or database) with (tree or hierarch\$3 or root or structur\$3 or director\$3 or level) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:55

## EAST Search History

S32	583	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "non-exportable" or export\$4) and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:57
S33	117	S32 and (trust\$3 with comput\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:58
S34	82	S33 and (RSA with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:57
S35	164	((("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or "non-exportable" or export\$4) with (storage or database or memory or cache or reporitor\$3)) and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:58
S36	29	S35 and (trust\$3 with comput\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 15:58
S37	3	S36 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 16:01
S38	41	S35 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 16:01
S39	381	(creat\$3 or generat\$3 or build\$3 or construct\$3) with (tree or hierarch\$3) with identical\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:28

## EAST Search History

S40	21	(creat\$3 or generat\$3 or build\$3 or construct\$3) with (storag\$3 or database or repositor\$3 or memor\$3 or cache) with (tree or hierarch\$3) with identical\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:16
S41	2	S39 and ( RSA with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:08
S42	46	S39 and ( (tree or hierarch\$3 or root or parent\$) with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:45
S43	21	S42 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:47
S44	0	S42 and @ad<"20001115" and (chip with storage with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:47
S45	5	S42 and @ad<"20001115" and ( storage with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:00
S46	2	"016700".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:54
S47	0	(key with structure with load\$3) and (decrypt with key with (tree or hierarch\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:56

## EAST Search History

S48	46	(decrypt with key with (tree or hierarch\$3) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:59
S49	523	(key with structure with load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:56
S50	1	S49 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:57
S51	0	S48 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:57
S52	1	S48 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:57
S53	1	S49 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:57
S54	73873	("not transferable" or "non\$transferable" or "non\$migratable" or "not migratable" or export\$5 or import\$5) with (storag\$3 or repositor\$3 or memory or cache or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:58
S55	51	S49 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:58

## EAST Search History

S56	141	(decrypt with key with (tree or hierarch\$3 or root) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:59
S57	0	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:59
S58	8117	(key with (tree or hierarch\$3 or root) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:59
S59	2	S55 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:00
S60	34	S49 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:00
S61	10	S60 and @ad<"20001115" and ( storage with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:05
S62	15	(key with (tree or hierarch\$3 or root) with identical\$3 with structur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:05
S63	1	S49 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:05



## EAST Search History

S64	50	S49 and @ad<"20001115" and ( storage with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:05
S65	2	S62 and @ad<"20001115" and ( storage with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:06
S66	5	S62 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:10
S67	173	(data near structur\$3 near identical\$3) and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:07
S68	4	S39 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:07
S69	178	(identical\$3 near structur\$3) and ( RSA with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:09
S70	0	(storage near identical\$3 near structur\$3) and ( RSA with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:09
S71	0	(storage near identical\$3 near structur\$3) and ( root with key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:09

## EAST Search History

S72	7	(storage near identical\$3 near structur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:10
S73	4	S72 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:18
S74	7	(storage near identical\$3 near (structur\$3 or tree or hierarch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:10
S75	4	S74 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:10
S76	6274	(creat\$3 or generat\$3 or build\$3 or construct\$3) with (storag\$3 or database or repositor\$3 or memor\$3 or cache) with (tree or hierarch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:16
S77	8	(key near blob) and (key near sign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:19
S78	1	S77 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:34
S79	360	(key near load\$3) and (key near sign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:19

## EAST Search History

S80	0	S76 and S79 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:19
S81	11	(root near key) and S79 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:34
S82	12	((root or tree or hierarch\$3) near key) and S79 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:27
S83	0	(rsa with key with (non\$exportable or non\$importable or non\$transferable)) and S79 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:28
S84	0	(rsa with key with (non\$exportable or non\$importable or non\$transferable)) and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:28
S85	2	( key with (non\$exportable or non\$importable or non\$transferable)) and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:32
S86	2464	(decrypt\$5 near key\$1) and (key with (root or tree or hierarch\$3 or structur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:33
S87	156	(decrypt\$5 near key\$1) and (key with (root or tree or hierarch\$3 or structur\$3) with load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:29

## EAST Search History

S88	1	S87 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:34
S89	0	S87 and S76 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:34
S90	62	S87 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:34
S91	30	(root near key) and S90 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:39
S92	0	S91 and ((tree or hierarch\$3 or structur\$3) with identical\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:35
S93	1	S91 and ((tree or hierarch\$3 or structur\$3) same identical\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:35
S94	5	S91 and (chip with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:35
S95	16	(encrypt\$6 near key) and S91 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:44

## EAST Search History

S96	2	("6192130").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:26
S97	156	(decrypt\$5 near key\$1) and (key with (root or tree or hierarch\$3 or structur\$3) with load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:29
S98	3	S97 and (key near lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:36
S99	1	(chip with root with key) and (key near lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:38
S100	4	(chip with root with key) and (key with lock\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:38
S101	17	(chip with root with key) and (key with load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:39
S102	4	S101 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:39
S103	25	(chip with root with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:27

## EAST Search History

S10 4	7	S103 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 06:39
S10 5	142	(load\$3 with root with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:27
S10 6	399	(creat\$3 or generat\$3 or build\$3 or construct\$3 or load\$3) with (tree or hierarch\$3) with identical\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:28
S10 7	1	S105 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:28
S10 8	1174	(creat\$3 or generat\$3 or build\$3 or construct\$3 or load\$3) with (tree or hierarch\$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:29
S10 9	2181	(creat\$3 or generat\$3 or build\$3 or construct\$3 or load\$3) with (tree or hierarch\$3) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:29
S11 0	132	S108 and S109	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:29
S11 1	63	(creat\$3 or generat\$3 or build\$3 or construct\$3 or load\$3) with (tree or hierarch\$3) with storage with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:29

## EAST Search History

S11 2	63	S110 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:29
S11 3	7	S112 and (privat\$3 with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:29
S11 4	0	S113 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:30
S11 5	20	S112 and @ad<"20001115"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:40
S11 6	2	("6760441").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 08:40